

Practitioner's Docket No.: 1372.185.PRC

PATENTS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Bhansali et al.

Serial No.: 10/710,986

Examiner: Not Yet Assigned

Filing Date: August 16, 2004

Art Unit: Not Yet Assigned

For: System and Method for Immunosensor
Regeneration

Mail Stop Non-Fee Amendment

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

REPLACEMENT DRAWINGS

Dear Sir:

Applicant herein submits 2 sheets of replacement drawings to those filed electronically. The undersigned has noted that high-quality drawings submitted through the Office's electronic filing system are degraded by the time they are printed in the original patent document.

The enclosed drawings are identical to those electronically submitted on August 16, 2004 which was issued U.S. Patent App. Ser. No. 10/710,986. Accordingly, no new matter is introduced into the application by the acceptance of this drawings. Applicant believes the enclosed drawings will facilitate examination and result in a more legible patent document.

Very respectfully,

SMITH & HOPEN

By: 

Anton J. Hopen
15950 Bay Vista Drive, Suite 220
Clearwater, FL 33760
(727) 507-8558 telephone
(727) 507-8668 fax
Attorneys for Applicant
USPTO Customer No. 21901


Dated: August 16, 2004

CERTIFICATE OF MAILING

(37 CFR § 1.8)

I HEREBY CERTIFY that this correspondence is being deposited with the United States Postal Service as first class mail an envelope addressed to: Mail Stop Non-Fee Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on August 16, 2004

Date: August 16, 2004


Shelley Butz